


Honeywell APPLOCK setup.


Install APPLOCK on your EDA

Connect your EDA to a computer via the USB port and in the USB preferences enable the file transfer function.



From your PC, copy the provided file: "BCC_HoneywellAppLock_v4.7.4.apk" to the directory:
\\EDAxx\\Shared Internal Storage\\Download on your PDA

On the PDA, open the "files" application, you will see our downloaded file there.




Open it by pressing on it and confirm by clicking "continue" on the alert message and then "install".

Once AppLock is installed, tap "open"

Press OK on the warning message.

Then, at the very bottom right of the screen, toggle the switch to " Turn on AppLock " and reply "OK" to the "Enable" message.



Enter your username and password:

Username = admin and password = admin059 then press Login

Confirm your login by pressing OK.

A message will then ask you to change your password; reply with OK and choose your new password.

Choose admin024 as your new password

The Applock application is now installed; it now needs to be configured.

It is recommended to disable vibrations and you must connect to the correct WiFi access point before logging into the Billetix user account.

The "screenshot " function is locked once AppLock is enabled.

At the top right of the screen, tap the 3 vertical dots then "Settings".

Click on "Manage users ".

Press "default user" then " Delete user" and confirm with ok.

Tap the three small vertical dots in the top right corner and then tap " Create new user".

Choose user name = billetix and password = bi123456 and press "NEXT".

Success " message by pressing "OK".

In the "Whitelist apps configuration " choose "Chrome" and confirm with "NEXT".

In " Autorun app configuration" leave everything blank and confirm with "NEXT".

In "Select user settings" leave everything blank and confirm with "FINISH".

Return to the home page by pressing the triangle key twice.

Press the 3 small vertical dots in the top right corner, then press "Setting" and confirm with "OK".

Choose "billetix" in auto login account

Return to the home page by pressing the triangle key once.

Press the 3 small vertical dots in the top right corner , then press " Logout " and confirm with "OK".

On the login page that then appears, enter the username "billetix" with the password "bi123456".

Then enter the URL <https://billetix.ney/scan.html>

Tap the three small vertical dots in the top right corner , then tap "Add to Home Screen".

Next, select "Install" and at the "Install application" message, select "Install"

Add to applock " message .

Exit Billetix.net by pressing the square and swiping up on the screen.

Restart Billetix by pressing the icon with the blue ticket.

Next, press the square, then the blue ticket at the top of the Billetix window, then pin.

Press "OK" on the message "The application is pinned" (note that permission to pin applications must have been given in the advanced security features).

To unpin the application, you must press the triangle and the square simultaneously.

In this mode:

- Password management remains functional.

- It's not easy to get out of Billetix.

- You cannot launch any applications other than those that are authorized.